OFFICE OF THE DIRECTOR OF HEALTH AND FAMILY PLANNING SERVICES, BANGALORE.

No. STR 1353/70-71, dated 26th March 1971.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY, 27TH FEBRUARY 1971.

1 Plague.—The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1969 and 1970 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

2 Small pox.—A total of 9 attacks with nil deaths from Small-pox was reported from the entire State, viz., from the taluk of Athani and Bagewadi as against nil attacks with nil deaths reported during the corresponding weeks of the previous year. As a preventive measure 6,238 vaccinations have been done.

3 Cholera.—The State remained free from Cholera during the week under report comparative figure for the corresponding week of last year, were 15 attacks with nil deaths. However as preventive measur 122 anti-cholera inocu-lations have been done.

4 K. F. Diseases.—A total of 19 attacks with nil deaths from K F. Disease was reported from Shimoga District, as against 44 attacks with nil deaths reported during the corresponding week of the previous year.

5 (a) *Yellow Fever, Relapsing Fever, Infectious Hepatitis and Influenza.*—The State remained free from Yellow Fever, Relapsing Fever, and Influenza in epidemic from as against nil attacks with nil deaths reported during the corresponding week of the previous year.

(b) 3 cases with nil deaths from Infectious hepatitis have been reported from Military Hospital, Bangalore during the week under report as against 3 attacks with nil deaths reported during the corresponding week of the previous year.

(c) *Dengue and Haemorrhagic Fever.*— The State remained free from Dengue and Haemorrhagic fever during the week as in the corresponding week of the last year.

6 City and Corporation.—The total mortality for Bangalore City Corporation amounted to 241 (105 in Hospitals) for the week, as against 231 (78 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 11.8 (6.6 excluding hospital deaths) per mille of population (mid-year estimated as against 11.6 (7.7 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 2 were due to Dysentery and diarrhoea, 3 due to consumption and 236 due to all other causes, as against 8 were due to Dysentery and diarrhoea, 7 due to consumption and 216 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 59 (24 in hospitals) for the week as against 74 (32 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 11.6 (6.3 exclu ling hospital deaths) per mille of population (mid-year estimated) as against 14.6 (3 3 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 20 were due to other fevers, 39 due to all other causes as against 1 were due to other fevers, 4 due to dysentery and diarrhoea, one due to consumption, and 26 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for K. G. F. City amounted to 21 (21 in hospitals) for the week, as against 29 (29 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 6.8 (nil excluding hospital deaths) per mille of population (mid-year estimated) as against 9.2 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 21 were due to all other causes, as against one were due to other fevers, 3 due to dysentery and diarrhoea, and 25 due to all other causes reported during the corresponding week of the previous year.

The total mortality of Belgaum City amounted to 61 (39 in hospitals) for the week as against 39 (27 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 17.2 (8.2 excluding hospital deaths) per mille of population (mid year estimated) as against 10.9 (2.9 excluding hospital deaths) for the correspond ng week for the past year. Classified according to causes of deaths, one was due to all other fevers, and 60 were due to all other causes, as against 33 were due to all other causes reported during the corresponding week of the previous year.

The total mortality of Mangalore City amounted to 59 (33 in hospitals) for the week as against 53 (33 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 11.5 (1.7 excluding hospital deaths) per mille of population (mid-year estimated) as against 11.6 (nil excluding hospital deaths) for the corresponding week of the past year. Classified according to causes of deaths one was due to other fevers, 2 due to consumption and 36 due to all other causes, as against one due to Typhoid, 2 due to consumption and 35 due to all other causes reported during the corresponding week of the previous year.

....,

135 For *Director.*

Printed by the Director of Printing, Sty. & Publications at the Govt. Press, B'lore